

## HENRY COUNTY: Key Data Points

- The county observes a slightly lower overall birth rate as compared to the state, 11.3% versus 14.0% respectively
- Although a lower percentage of mothers are drinking alcohol during pregnancy (0.4% versus 0.6% respectively), a higher percentage of mothers are smoking during pregnancy compared to the state overall (23.8% versus 18.5% respectively)
- Compared to the state, the county has a significantly higher percentage of women utilizing prenatal care during the first trimester, 89.1% versus 80.6% respectively
- Henry county witnessed 24 accidental deaths (7 of which were motor vehicle), and 10 suicidal deaths and 2 homicidal

**Note:** All figures relate to 2004 data from the Indiana State Department of Health, unless otherwise specified

**Figure 1: Births**

	Total		White		Black		Other	
	Number	Crude Rate*	Number	Crude Rate*	Number	Crude Rate*	Number	Crude Rate*
<b>Henry County</b>	540	11.3	530	11.3	2	4.1(U)	8	19.0(U)
<b>INDIANA</b>	87,125	14.0	75,680	13.7	9,582	17.5	1,863	11.7

\* births per 1,000 population; U = unstable rate, based on fewer than 20 births

**Figure 2: Infant Mortality**

		NUMBER				RATE*		
COUNTY OF RESIDENCE	REPORTED RACE/ ETHNICITY	Live Births	Infant Deaths (< 1 yr)	Neonatal Deaths (< 28 days)	Post Neonatal Deaths (28-364 days)	Infant Deaths (< 1 yr)	Neonatal Deaths (< 28 days)	Post Neonatal Deaths (28-364 days)
<b>HENRY</b>	All Races	540	5	3	2	**	**	**
	White	530	5	3	2	**	**	**
	Black	2	0	0	0	0.0	0.0	0.0
	Other	8	0	0	0	0.0	0.0	0.0
	Hispanic	9	0	0	0	0.0	0.0	0.0
<b>INDIANA</b>	All Races	87,125	702	472	230	8.1	5.4	2.6
	White	75,680	522	354	168	6.9	4.7	2.2
	Black	9,582	164	105	59	17.1	11.0	6.2
	Other	1,863	16	13	3	**	**	**
	Hispanic	7,237	65	50	15	9.0	6.9	**

\*rate per 1,000 live births \*\*Numerator is less than 20 and the rate is unstable

**Figure 3: Outcome Indicators of Mother, by Race**

		Birth Weight				During Pregnancy		
HENRY COUNTY	Total Births	% Low (< 2500 grams)	% Very Low (< 1500 grams)	% Preterm †	% PNC 1st Trimester ‡	% Alcohol	% Smoked	% Unmarried Parents
White	530	7.7	2.5	11.9	87.7(S)	0.0	25.5(S)	37.9
Black	2	**	**	**	**	**	**	**
All Races	540	7.6	2.4	11.7	87.0(S)	0.0	25.4(S)	37.8

		Birth Weight				During Pregnancy		
INDIANA	Total Births	% Low (< 2500 grams)	% Very Low (< 1500 grams)	% Preterm †	% PNC 1st Trimester ‡	% Alcohol	% Smoked	% Unmarried Parents
All Races	87,125	8.1	1.5	10.2	79.3	0.6	18.0	38.8
White	75,680	7.4	1.3	9.9	80.8	0.6	18.8	34.4
Black	9,582	13.7	3.0	13.9	67.1	0.9	14.4	77.9

† Preterm: less than 37 weeks gestation


‡ PNC: Prenatal Care

'S' Significantly different than the state percent


\*\*\* Outcomes for this county are suppressed due to 20 or fewer total births

**Figure 4: Breastfeeding**

HENRY COUNTY	All Races	White	Black
Total Births	540	530	2
Breastfeeding on Discharge	336	328	2
% Breastfeeding on Discharge	62.2	61.9	100.0



INDIANA	All Races	White	Black
Total Births	87,125	75,680	9,582
Breastfeeding on Discharge	55,556	49,825	4,269
% Breastfeeding on Discharge	63.8	65.8	44.6



**Figure 5: HIV/AIDS**

	<b>Total # of AIDS cases reported since 1982*</b>	<b>Total # of HIV cases reported since 1985*</b>
<b>HENRY COUNTY</b>	25	8
<b>INDIANA</b>	7,989	3,945

\*numbers current through June 2006

**Figure 6: Nutritional Risk Factors by Status,  
Indiana WIC Clinics, Quarter Ending 09/30/2004**

Local Agency: Interlocal Community Action Program, Inc. Counties Included: Henry							
<b>Risk Factor or Status</b>	<b>Children 1-5 years of Age</b>					<b>Total</b>	<b>% within Agency</b>
	White	Black	Hispanic	Asian	Other		
Overweight	24	0	2	0	0	26	5.1%
At Risk for becoming Overweight	26	0	1	0	0	27	5.3%
Local Agency: State Wide Counties Included: All							
<b>Risk Factor or Status</b>	<b>Children 1-5 years of Age</b>					<b>Total</b>	<b>% within Agency</b>
	White	Black	Hispanic	Asian	Other		
Overweight	1,732	445	800	12	97	3,086	4.8%
At Risk for becoming Overweight	2,023	485	639	11	124	3,282	5.1%

<b>Priority Benchmarks (Henry &amp; Indiana)</b>			
<b>Demographics: Percentage of population enrolled in Medicaid, Percentage of population enrolled in Food Stamps.</b>		<b>Henry</b>	<b>Indiana</b>
1	% of Population enrolled in Medicaid as of June 2003	13.9	12.4
2	% of Population in Food Stamps Program, 2005	9.9	9.0
<b>Priority #1 (pregnancy outcomes): Average Infant Mortality Rate, Average Fetal death Rate</b>		<b>Henry</b>	<b>Indiana</b>
1	Av Total Infant Death Rate (1995-2004)	8.2	7.9
2	Average Fetal Death Rate (1995-2004)	6.5	6.6
<b>Priority #2 (reduce barriers): Health Professional Shortage Areas, Percentage of women with prenatal care in first trimester</b>		<b>Henry</b>	<b>Indiana</b>
1	Scores for Primary Care Health Professional Shortage Areas (HPSAs) (2005)	1	NA
2	% PNC 1st Trimester†, 2004	87.0	79.3
<b>Priority #4 (environmental): Prevalence of asthma, Childhood lead poisoning</b>		<b>Henry</b>	<b>Indiana</b>
1	Prevalence of Asthma in a Medicaid Cohort of Children age 0-17 years, 2003	10.2	10.4
2	%Estimated Lead Blood Levels (%EBLL) for Children under 6 years old FY 2005-2006	2.42	2.42
<b>Priority #5 (tobacco): Percentage of mothers who smoked during pregnancy, Percentage of Adult Smoking</b>		<b>Henry</b>	<b>Indiana</b>
1	% of mothers Smoked During Pregnancy, 2004	25.4	18.0
2	% of Adult Smoking in 2003	31.8	29.3
<b>Priority #7 (adolescent risk behaviors): Adolescent deaths due to motor vehicle accidents, Chlamydia rates (ages 15-24).</b>		<b>Henry</b>	<b>Indiana</b>
1	Number of Adolescent (15-24) deaths due to Motor vehicle accidents (2002-2004)	8	771
2	Chlamydia rates per 100,000 county specific population (15-24yrs of Age)	1217.73	1602.35
<b>Priority #8 (obesity): Obesity in pregnant women</b>		<b>Henry</b>	<b>Indiana</b>
1	Number of Obese Pregnant Women In Indiana, 2004	22	2,827
<b>Priority #9 (domestic violence, childhood injury): Child deaths due to Injury, Child abuse and neglect rates</b>		<b>Henry</b>	<b>Indiana</b>
1	Child deaths due to Injury 1-14yrs (2002-2004)	1	279
2	Child Abuse and Neglect per 1,000 Population under age 18, 2004	16.2	13.5
<b>Priority #10 (To improve racial and ethnic disparities in women of childbearing age, mothers, and children's health outcomes): Percentage of Hispanic Population of any Race, LBW Disparity Ratio</b>		<b>Henry</b>	<b>Indiana</b>
1	% of Hispanic Population of any Race, 2005	0.9	4.5
2	Low Birth Weight Disparity Ratio (B/W) (1995-2004)	2.25	1.88
<b>Source:</b> Data Analysis Team, ISDH; Health Resources and Service Administration; Indiana Prevention Resource Center; Data analysis team, Office of Medicaid Policy & Planning. Notes: 1. NS= Not Stable 2. NA = Not Available 3. Infant Mortality rate and Fetal Death rate is for 1000 live births. 4. Low Birth Weight: Birth Weight Less than 2,500grams. 5. HPSA Score ranges 1 – 25. The higher the score, the higher the need. 6. EBLL: Ten (10) micrograms of lead per deciliter of whole blood for one venous test;			

%EBLL is based on screening rate of 27% Statewide, unduplicated kids 7. Obesity in Pregnant Women determined by "Concurrent Illness Obesity" checkbox on the birth certificate 8. PNC percentages are calculated using total births in each County.